

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2335	370/412,413,415.ccls.	US-PGPUB; USPAT	OR	ON	2006/03/01 11:05
L2	2505	370/412,413,415,375.ccls.	US-PGPUB; USPAT	OR	ON	2006/03/01 11:08
L3	4339	370/412,413,415,468,375.ccls.	US-PGPUB; USPAT	OR	ON	2006/03/01 11:18
L4	1974	370/412.ccls.	US-PGPUB; USPAT	OR	ON	2006/03/01 11:18
L5	41	370/412,413,415,468,375.ccls. and (circular or circle) near2 (memory or buffer) same queue	US-PGPUB; USPAT	OR	ON	2006/03/01 11:53
L6	105	"711"/\$.ccls. and (circular or circle) near2 (memory or buffer) same queue	US-PGPUB; USPAT	OR	ON	2006/03/01 14:22
L7	0	"circular first-in-first-out memory". clm.	US-PGPUB; USPAT	OR	ON	2006/03/01 14:22
L8	0	(sequential\$ adj insert\$ with circular near2 memory).clm.	US-PGPUB; USPAT	OR	ON	2006/03/01 14:23
L9	0	(sequential\$ adj insert\$ with circular near3 memory).clm.	US-PGPUB; USPAT	OR	ON	2006/03/01 14:24
L10	0	(sequential\$ adj insert\$ with circular with memory adj scheme). clm.	US-PGPUB; USPAT	OR	ON	2006/03/01 14:24
S1	1	"5537562".pn.	USPAT	OR	OFF	2004/11/04 10:23
S2	1	"5954794".pn.	USPAT	OR	OFF	2004/11/04 10:25
S3	257	packet adj switch\$3 and memory near2 manag\$5 and FIFO\$1	USPAT	OR	OFF	2005/06/01 15:38
S4	197	packet adj switch\$3 and memory near2 manag\$5 and FIFO\$1 and pointer\$1	USPAT	OR	OFF	2004/11/03 09:47
S5	135	"370"/\$.ccls. and packet adj switch\$3 and memory near2 manag\$5 and FIFO\$1 and pointer\$1	USPAT	OR	OFF	2004/11/03 09:48
S6	13	"370"/\$.ccls. and packet adj switch\$3 same memory near2 manag\$5 and FIFO\$1 and pointer\$1	USPAT	OR	OFF	2004/11/03 09:48
S7	18	packet adj switch\$3 same memory near2 manag\$5 and FIFO\$1 and pointer\$1	USPAT	OR	OFF	2004/11/03 09:53

EAST Search History

S8	39	packet adj switch\$3 and (multiple or plurality) with (output or transmit\$3) near2 FIFO\$1	USPAT	OR	OFF	2004/11/03 09:55
S9	12	packet adj switch\$3 and (multiple or plurality) near3 ((output or transmit\$3) near2 FIFO\$1)	USPAT	OR	OFF	2004/11/03 10:09
S10	44	(multiple or plurality) near3 ((output or transmit\$3) adj2 FIFO\$1) and (input\$3 or receiv\$3) adj2 FIFO	USPAT	OR	OFF	2004/11/03 10:30
S11	155	(multiple or plurality) near3 ((output or transmit\$3) adj2 queue\$1) and (input\$3 or receiv\$3) adj2 queue	USPAT	OR	OFF	2004/11/03 10:30
S12	117	(multiple or plurality) near3 ((output or transmit\$3) adj queue\$1) and (input\$3 or receiv\$3) adj queue	USPAT	OR	OFF	2004/11/03 10:30
S13	39	(multiple or plurality) near3 ((output or transmit\$3) adj queue\$1) and (input\$3 or receiv\$3) adj queue and packet adj switch\$3	USPAT	OR	OFF	2004/11/03 10:31
S14	13	("6216167" or "6205145" or "6134217" or "6072772" or "6052368" or "6046979" or "6031843" or "6009108" or "5809021" or "5781547" or "5689501" or "5408469" or "5379297").pn.	USPAT	OR	OFF	2004/11/03 11:10
S15	319	(FIFO or queue) with ((tail adj pointer\$1) and (head adj pointer\$1) and (link adj pointer\$1))	USPAT	OR	OFF	2004/11/03 12:45
S16	292	(queue) with ((tail adj pointer\$1) and (head adj pointer\$1) and (link adj pointer\$1))	USPAT	OR	OFF	2004/11/03 12:46
S17	6	(queue) with ((tail adj pointer\$1) and (head adj pointer\$1) and (link adj pointer\$1))	USPAT	OR	OFF	2004/11/03 12:46
S18	6	(FIFO or queue) with ((tail adj pointer\$1) and (head adj pointer\$1) and (link adj pointer\$1))	USPAT	OR	OFF	2004/11/03 13:40
S19	633	(FIFO or queue) with ((write adj pointer\$1) and (read adj pointer\$1))	USPAT	OR	OFF	2004/11/03 13:02

EAST Search History

S20	499	(FIFO or queue) with (write adj pointer\$1) with (read adj pointer\$1)	USPAT	OR	OFF	2004/11/03 13:03
S21	0	(FIFO or queue) with (write adj pointer\$1) with (read adj pointer\$1) with zone	USPAT	OR	OFF	2004/11/03 13:03
S22	126	(FIFO or queue) with (write adj pointer\$1) with (read adj pointer\$1) with empty	USPAT	OR	OFF	2004/11/03 13:03
S23	3	(FIFO or queue) with (write adj pointer\$1) with (read adj pointer\$1) with empty and packet adj switch\$3	USPAT	OR	OFF	2004/11/03 13:04
S24	20	(FIFO or queue) with (write adj pointer\$1) with (read adj pointer\$1) and packet adj switch\$3	USPAT	OR	OFF	2004/11/03 14:11
S25	0	(FIFO or queue) with ((write adj pointer\$1) and (delete adj pointer\$1))	USPAT	OR	OFF	2004/11/03 13:21
S26	29	delete adj pointer\$1	USPAT	OR	OFF	2004/11/03 13:21
S27	0	(FIFO or queue) with ((tail adj pointer\$1) and (head adj pointer\$1) and (link adj pointer\$1)) and write adj pointer	USPAT	OR	OFF	2004/11/03 15:26
S28	499	(FIFO or queue) with (write adj pointer\$1) with (read adj pointer\$1)	USPAT	OR	OFF	2004/11/03 14:39
S29	0	(FIFO or queue) with (write adj pointer\$1) with (read adj pointer\$1) and "6434141".pn.	USPAT	OR	OFF	2004/11/03 14:39
S30	3	(tail adj pointer\$1) and (head adj pointer\$1) and (link adj pointer\$1) and write adj pointer	USPAT	OR	OFF	2004/11/03 15:27
S31	3	(tail adj pointer\$1) and (head adj pointer\$1) and (link adj pointer\$1) and write adj pointer\$1	USPAT	OR	OFF	2004/11/03 15:31
S32	13	(tail adj pointer\$1) and (head adj pointer\$1) and ((link or next) adj pointer\$1) and write adj pointer\$1 and read adj pointer\$1	USPAT	OR	OFF	2004/11/03 16:38
S33	0	(tail adj pointer\$1) and (head adj pointer\$1) and ((link or next) adj pointer\$1) and write adj pointer\$1 and delete adj pointer\$1	USPAT	OR	OFF	2004/11/03 15:42

EAST Search History

S34	13	(tail adj pointer\$1) and (head adj pointer\$1) and ((link or next) adj pointer\$1) and write adj pointer\$1	USPAT	OR	OFF	2004/11/03 15:43
S35	2	memory near full and delet\$4 near packet	USPAT	OR	OFF	2004/11/03 16:39
S36	0	memory near full with delet\$4 near packet	USPAT	OR	OFF	2004/11/03 16:39
S37	0	memory near (full or fill) with delet\$4 near packet	USPAT	OR	OFF	2004/11/03 16:40
S38	81	delet\$4 near packet and packet adj switch\$3	USPAT	OR	OFF	2004/11/03 16:42
S39	0	oldest with delet\$4 near packet and packet adj switch\$3	USPAT	OR	OFF	2004/11/03 16:41
S40	10	delet\$4 near2 packet and memory near2 full	USPAT	OR	OFF	2004/11/03 16:46
S41	0	delet\$4 near2 packet same memory near2 full	USPAT	OR	OFF	2004/11/03 16:42
S42	1	delet\$4 near2 packet\$1 with (full or fill\$2) and packet adj switch\$3	USPAT	OR	OFF	2004/11/03 16:47
S43	91	(delet\$4 or drop\$4) near2 packet\$1 with (full or fill\$2) and packet adj switch\$3	USPAT	OR	OFF	2004/11/03 16:47
S44	2	(delet\$4 or drop\$4) near2 packet\$1 with memory near2 (full or fill\$2) and packet adj switch\$3	USPAT	OR	OFF	2004/11/03 16:49
S45	19	(delet\$4 or drop\$4) near2 packet\$1 with (memory or buffer\$1) near2 (full or fill\$2) and packet adj switch\$3	USPAT	OR	OFF	2004/11/03 16:49
S46	0	drop\$3 adj from adj2 front	USPAT	OR	OFF	2004/11/03 16:56
S47	0	"drop from front"	USPAT	OR	OFF	2004/11/03 16:56
S48	0	drop adj from adj front	USPAT	OR	OFF	2004/11/03 16:57
S49	836	drop near2 front	USPAT	OR	OFF	2004/11/03 16:57
S50	321	drop near front	USPAT	OR	OFF	2004/11/03 16:57
S51	94	drop near front and switch\$3	USPAT	OR	OFF	2004/11/03 16:57
S52	4	drop near front and packet adj switch\$3	USPAT	OR	OFF	2004/11/03 17:15
S53	6	drop near front and pointer\$1	USPAT	OR	OFF	2004/11/03 17:15
S54	38	"5650993".URPN.	USPAT	OR	OFF	2004/11/03 17:25
S55	914	circular near2 memory	USPAT	OR	OFF	2005/06/01 15:38
S56	106	circular near2 memory same fifo	USPAT	OR	OFF	2005/06/01 15:38
S57	89	circular near2 memory with fifo	USPAT	OR	OFF	2005/06/01 15:39
S58	26	circular near memory with fifo	USPAT	OR	OFF	2005/06/01 17:02

EAST Search History

S59	0	circular near memory and delete adj pointer	USPAT	OR	OFF	2005/06/01 17:02
S60	56	circular near memory and delete	USPAT	OR	OFF	2005/06/01 17:02
S61	105	circular near memory and delet\$	USPAT	OR	OFF	2005/06/01 17:02
S62	7	circular near memory and delet\$ with pointer\$	USPAT	OR	OFF	2005/06/01 17:06
S63	6	circular near memory and read with (delet\$ or remov\$) with pointer\$	USPAT	OR	OFF	2005/06/01 17:07
S64	709	queue with linked adj list	USPAT	OR	OFF	2005/10/28 14:53
S65	0	"370"/\$.ccls and queue with linked adj list	USPAT	OR	OFF	2005/10/28 14:53
S66	0	"370"/\$.ccls and queue with linked adj list	US-PGPUB; USPAT	OR	ON	2005/10/28 14:53
S67	19	queue with linked adj list same header same tail	US-PGPUB; USPAT	OR	ON	2005/10/28 15:01
S68	220	linked adj list with well adj known	US-PGPUB; USPAT	OR	ON	2005/10/28 15:23
S69	0	linked adj list with well adj known with packet	US-PGPUB; USPAT	OR	ON	2005/10/28 15:02
S70	16	dequeue near2 packet with head\$	US-PGPUB; USPAT	OR	ON	2005/10/28 15:54
S71	166	circular adj memory and (fifo or first adj in or queue) and link\$	US-PGPUB; USPAT	OR	ON	2006/02/28 10:28
S72	1	circular adj memory with (fifo or first adj in or queue) with link\$	US-PGPUB; USPAT	OR	ON	2006/02/28 10:34
S73	20033	(circular or (fifo or first adj in)) with (link\$ or queue)	US-PGPUB; USPAT	OR	ON	2006/02/28 10:37
S74	912	(circular and (fifo or first adj in)) same (link\$ or queue)	US-PGPUB; USPAT	OR	ON	2006/02/28 10:38
S75	74	(circular adj3 memory and (fifo or first adj in)) same (link\$ or queue)	US-PGPUB; USPAT	OR	ON	2006/02/28 10:40
S76	151	circular adj2 (memory or buffer) same (fifo or first adj in) same (link\$ or queue)	US-PGPUB; USPAT	OR	ON	2006/02/28 10:41
S77	129	circular adj2 (memory or buffer) same (fifo or first adj in) same queues	US-PGPUB; USPAT	OR	ON	2006/02/28 10:41
S78	19	circular adj2 (memory or buffer) same (fifo or first adj in) same queues	US-PGPUB; USPAT	OR	OFF	2006/02/28 10:41